

QUANTUM®

LCS

Powerchair Guide

Content

Edge 3 Stretto with Contoured Seat 6
Edge 3 Stretto with TB Flex Seat 8
Edge 3 Stretto with TRU-Balance 3 Seat 10

Edge 3 with TRU-Balance 3 Seat 12

4Front 2 with TRU-Balance 3 Seat 14

R-Trak with TB Flex Seat 16
R-Trak with TRU-Balance 3 Seat 18

Outback with Contoured Seat 20
Outback with TRU-Balance 3 Seat 22

Q6 Edge 2.0 with TB Flex Seat 24
Q6 Edge 2.0 with TRU-Balance 3 Seat 26

Q6 Edge 2.0 HD with TRU-Balance 3 Seat 28

Q6 Edge HD with Synergy Seat 30
Q6 Edge HD with TRU-Balance 3 Seat 32

4Front 2 HD with TRU-Balance 3 Seat 34

Q1450 with Contoured Seat 36
Q1450 with Synergy Seat 38

Aspen with TB Flex Seat 40

Kozmo Portable 42

Fusion e 44

AVAILABLE ON THE MOTABILTY SCHEME

coolcore®

CHEMICAL-FREE THERMOREGULATION TECHNOLOGY

Coolcore fabric is available for FREE on all our back supports and seat cushions through the Motability Scheme. Coolcore® is a chemical free performance fabric that helps regulate temperature by managing heat and moisture. The cooling effect is built into the fibres, so it won't wash out and stays consistent over time.

While the other makers of cooling fabrics use a number of chemicals to enhance wicking, transportation and evaporation, Coolcore® fabrics are chemical free. To make that possible, we changed the essence of cooling fabric technology right down to its very core.

What is coolcore?

- Year Round Temperature Control
- Chemical Free
- 4-Way Stretch
- Patented Technology
- Better Cooling Ability
- Durable - Last Longer
- Protects from Sun's Harmful Rays (UPF)



EDGE 3 Stretto

CONTOURED SEATING

Weight capacity
136 kg

Battery range
Up to 15 miles

Crash tested






Fold forward backrest



iLevel Stability Technology



Narrow base 20.47" (520 mm)



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Edge 3 Stretto is Quantum's narrowest power chair, perfect for navigating tight spaces. Paired with the Contoured seat, it offers a supportive design with a vinyl, easy-to-clean surface that promotes optimal posture and pressure relief for all-day comfort.

Specifications

*All measurements provided are subject to a variation of +- 1/8"

Standard	Turning Radius	21" (533 mm)
	Length	36" (917 mm)
	Width	20.47" (520 mm) with 12.5" wheels 21.75" (552 mm) with 14" wheels
	Ground Clearance	2.9" (74 mm)
	Battery Size	2 x 62 Ah
	Seat Dimensions	16" W x 16" D / 18" W x 18" D / 20" W x 20" D
	Motor Package	2 - Pole, Mid - Wheel
	Suspension	Smooth Ride Suspension
Optional		
	Powered Positioning	12" iLevel Powered Seat Lift
	Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh)
	Electronics	Q-Logic NES / VR2

EDGE 3 Stretto

TB-Flex

Weight capacity
136 kg

Battery range
Up to 15 miles

Crash tested






SRS Smooth Ride Suspension



Safe Seat Elevation



Narrow base at 20.47" (520 mm)



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Edge 3 Stretto is Quantum's narrowest power chair, perfect for navigating tight spaces. Paired with the TB Flex seat, it offers flexibility and comfort. Ideal for daily activities and exercise, it adapts to your movements, enhancing performance and reducing strain.

Specifications

*All measurements provided are subject to a variation of +- 1/8"

Standard	
Turning Radius	21" (533 mm)
Length	36" (917 mm)
Width	20.47" (520 mm) with 12.5" wheels 21.75" (552 mm) with 14" wheels
Ground Clearance	2.9" (74 mm)
Battery Size	2 x 40 Ah or 2 x 62 Ah
Seat Dimensions	15" - 20" W / 15" - 20" D
Motor Package	2 - Pole, Mid - Wheel
Suspension	Smooth Ride Suspension
Optional	
Powered Positioning	Tilt / Recline / Lift / Foot Supports
Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh)
Electronics	Q-Logic NES / Q-Logic 3e

EDGE 3 Stretto

TRU BALANCE 3 POWER POSITIONING SYSTEMS

Weight capacity
136 kg

Battery range
Up to 15 miles

Crash tested






LED Fender Lights



iLevel Stability Technology



Narrow base at 20.47" (520 mm)



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Edge 3 Stretto is Quantum's narrowest power chair, perfect for navigating tight spaces. Paired with the TRU-Balance 3 seat, it offers a customisable seat and positioning system that ensures optimal alignment and pressure distribution. It offers maximum comfort and support for various postures and activities.

Specifications

*All measurements provided are subject to a variation of +- 1/8"

Standard	Turning Radius	21" (533 mm)
	Length	36" (917 mm)
	Width	20.47" (520 mm) with 12.5" wheels 21.75" (552 mm) with 14" wheels
	Ground Clearance	2.9" (74 mm)
	Battery Size	2 x 62 Ah
	Seat Dimensions	12" - 20" W / 12" - 20" D
	Motor Package	2 - Pole, Mid - Wheel
	Suspension	Smooth Ride Suspension
Optional		
	Powered Positioning	Tilt / Recline / iLevel / Foot Supports
	Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh)
	Electronics	VR2 / Q-Logic NES / Q-Logic 3e / Q-Logic 3 EX / R-NET

EDGE 3

TRU BALANCE 3 POWER POSITIONING SYSTEMS

Weight capacity
136 kg

Battery range
Up to 15 miles

Crash tested






SRS Suspension



iLevel Stability Technology



Colour Wheel Accents



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Edge 3 is a versatile power chair delivering advanced performance, comfort, and customisation for diverse user needs. Paired with the TRU-Balance 3 seat, it offers a customisable seat and positioning system that ensures optimal alignment and pressure distribution. It offers maximum comfort and support for various postures and activities.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	20.5” (521 mm)
	Length	32.23” (819 mm)
	Width	24.4” (620 mm) with 14” wheels
	Ground Clearance	2.7” (69 mm)
	Battery Size	2 x 62 Ah
	Seat Dimensions	12” - 22” W / 12” - 22” D
	Motor Package	2 - Pole, Mid - Wheel
	Suspension	Smooth Ride Suspension
Optional		
	Powered Positioning	Tilt / Recline / iLevel / Foot Supports
	Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh) 7 mph (11 kmh)
	Electronics	QLogic NES / Q-Logic 3e / Q-Logic 3 EX

4FRONT 2

TRU BALANCE 3 POWER POSITIONING SYSTEMS

Weight capacity
136 kg

Battery range
Up to 20 miles

Crash tested






SRS Suspension



Safe Seat Elevation



Colour Wheel Accents



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The 4Front 2 is a front-wheel-drive power chair built for outdoor performance, with advanced features and all-day comfort. Paired with the TRU-Balance 3 seat, it offers a customisable seat and positioning system that ensures optimal alignment and pressure distribution. It offers maximum comfort and support for various postures and activities.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	25.9” (658 mm)
	Length	39.9” (1013 mm)
	Width	24” (610 mm) with 14” wheels
	Ground Clearance	3.15” (80 mm)
	Battery Size	2 x 70 Ah
	Seat Dimensions	12” - 22” W / 12” - 22” D
	Motor Package	4 - Pole, Front - wheel
	Suspension	Smooth Ride Suspension
Optional		
	Powered Positioning	Tilt / Recline / Lift / Foot Supports
	Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh)
	Electronics	Q-Logic 3e / Q-Logic 3 EX

QUANTUM®
R-TRAK
TB-Flex

Weight capacity
136 kg

Battery range
Up to 20 miles

Crash tested






Front/Rear LED-Fender Lights



Safe Seat Elevation



Colour Wheel Accents



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The R-Trak combines the stability of a traditional rear-wheel drive power chair with comfort and style. Paired with the TB Flex seat, it offers flexibility and comfort.
Ideal for daily activities and exercise, it adapts to your movements, enhancing performance and reducing strain.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	25.7” (653 mm)
	Length	34.8” (884 mm)
	Width	24.2” (615 mm) with 14” wheels
	Ground Clearance	3.97” (101 mm)
	Battery Size	2 x 70 Ah
	Seat Dimensions	15” - 20” W / 15” - 20” D
	Motor Package	2 - Pole, Rear - wheel
	Suspension	Smooth Ride Suspension
Optional		
	Powered Positoning	Tilt / Recline / Lift / Foot Supports
	Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh) 7 mph (11 kmh) with 4-pole motors
	Electronics	Q-Logic NES / Q-Logic 3e / Q-Logic 3 EX

QUANTUM® R-TRAK

TRU BALANCE 3 POWER POSITIONING SYSTEMS

Weight capacity
136 kg

Battery range
Up to 20 miles

Crash tested






Front/Rear LED-Fender Lights



Safe Seat Elevation



Colour Wheel Accents



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The R-Trak combines the stability of a traditional rear-wheel drive power chair with comfort and style. Paired with the TRU-Balance 3 seat, it offers a customisable seat and positioning system that ensures optimal alignment and pressure distribution. It offers maximum comfortand support for various postures and activities.

Specifications	*All measurements provided are subject to a variation of +- 1/8”
Standard	
Turning Radius	25.7” (653 mm)
Length	34.8” (884 mm)
Width	24.2” (615 mm) with 14” wheels
Ground Clearance	3.97” (101 mm)
Battery Size	2 x 70 Ah
Seat Dimensions	12” - 22” W / 12” - 22” D
Motor Package	2 - Pole, Rear - wheel
Suspension	Smooth Ride Suspension
Optional	
Powered Positioning	Tilt / Recline / Lift / Foot Supports
Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh) 7 mph (11 kmh) with 4-pole motors
Electronics	Q-Logic NES / Q-Logic 3e / Q-Logic 3 EX

QUANTUM® OUTBACK

CONTOURED SEATING

Weight capacity
159 kg

Battery range
Up to 16 miles

Non-Crash tested






Fold forward backrest



All Terrain



15” Pneumatic Drive Tyres



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

Explore the great outdoors like never before with the Quantum® Outback, a powerful 4x4 all-terrain power chair built for adventurers and nature lovers. Paired with the Contoured seat, it offers a supportive design with a vinyl, easy-to-clean surface that promotes optimal posture and pressure relief for all-day comfort.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	49.2” (1249.7 mm)
	Length	42” (1067 mm)
	Width	28.82” (732.03 mm)
	Ground Clearance	4.92” (125 mm)
	Battery Size	2 x 95 Ah
	Seat Dimensions	16” - 22” W / 16” - 22” D
	Motor Package	600 W 4 motor, independent
	Suspension	Smooth Ride Suspension
	Speeds	6 mph (9.65 kmh)
Optional		
	Powered Positioning	Lift
	Electronics	Q-Logic 3e / Q-Logic 3^{EX}

QUANTUM® OUTBACK

TRU BALANCE 3 POWER POSITIONING SYSTEMS

Weight capacity **136 kg**

Battery range **Up to 16 miles**

Non-Crash tested






Full LED Lighting Package



All Terrain



15” Pneumatic Drive Tyres



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

Explore the great outdoors like never before with the Quantum® Outback, a powerful 4x4 all-terrain power chair built for adventurers and nature lovers. Paired with the TRU-Balance 3 seat, it offers a customisable seat and positioning system that ensures optimal alignment and pressure distribution. It offers maximum comfortand support for various postures and activities.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	49.2” (1249.7 mm)
	Length	42” (1067 mm)
	Width	28.82” (732.03 mm)
	Ground Clearance	4.92” (125 mm)
	Battery Size	2 x 95 Ah
	Seat Dimensions	16” - 22” W / 16” - 22” D
	Motor Package	600 W 4 motor, independent
	Suspension	Smooth Ride Suspension
	Speeds	6 mph (9.65 kmh)
Optional		
	Powered Positioning	Tilt / Recline / Lift / Foot Supports
	Electronics	Q-Logic 3e / Q-Logic 3^{EX}

Q6 edge 2.0

TB-Flex

Weight capacity
136 kg

Battery range
Up to 15 miles

Crash tested






ATX Suspension



QLNES Controls with Magnetic Charger Port



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The revolutionary Q6 Edge 2.0 Power Chair has been engineered to meet the performance needs and demands of the most active user. Paired with the TB Flex seat, it offers flexibility and comfort. Ideal for daily activities and exercise, it adapts to your movements, enhancing performance and reducing strain.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	20.5” (521 mm)
	Length	35.5” (902 mm)
	Width	24.4” (620 mm) with 14” wheels
	Ground Clearance	2.7” (69 mm)
	Battery Size	2 x 62 Ah
	Seat Dimensions	15” - 20” W / 15” - 20” D
	Motor Package	2 - Pole, Mid - wheel
	Suspension	ATX Suspension
	Electronics	Q-Logic NES
Optional		
	Powered Positioning	Tilt / Recline / Lift / Foot Supports
	Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh)

Q6 edge 2.0

TRU BALANCE 3 POWER POSITIONING SYSTEMS

Weight capacity
136 kg

Battery range
Up to 15 miles

Crash tested






ATX Suspension



iLevel Stability Technology



QLNES Controls with Magnetic Charger Port



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The revolutionary Q6 Edge 2.0 power chair has been engineered to meet the performance needs and demands of the most active user. Paired with the TRU-Balance 3 seat, it offers a customisable seat and positioning system that ensures optimal alignment and pressure distribution. It offers maximum comfort and support for various postures and activities.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	20.5” (521 mm)
	Length	35.5” (902 mm)
	Width	24.4” (620 mm) with 14” wheels
	Ground Clearance	2.7” (69 mm)
	Battery Size	2 x 62 Ah
	Seat Dimensions	12” - 22” W / 12” - 22” D
	Motor Package	2 - Pole, Mid - Wheel
	Suspension	ATX Suspension
Optional		
	Powered Positioning	Tilt / Recline / Lift / Foot Supports
	Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh)
	Electronics	Q-Logic NES / Q-Logic 3e / Q-Logic 3^{EX}

Q6 edge 2.0 HD

TRU BALANCE 3 POWER POSITIONING SYSTEMS

Weight capacity
181 kg

Battery range
Up to 15 miles

Crash tested






ATX Suspension



iLevel Stability Technology



4-Pole Motors



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The revolutionary Q6 Edge 2.0 HD power chair has been engineered to meet the needs and demands of the most active user with added heavy duty capabilities. Paired with the TRU-Balance 3 seat, it offers a customisable seat and positioning system that ensures optimal alignment and pressure distribution. It offers maximum comfort and support for various postures and activities.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	20.5” (521 mm)
	Length	35.5” (902 mm)
	Width	24.4” (620 mm) with 14” wheels
	Ground Clearance	2.7” (69 mm)
	Battery Size	2 x 62 Ah
	Seat Dimensions	20” - 24” W / 20” - 24” D
	Motor Package	4 - Pole, Mid - wheel
	Suspension	ATX Suspension
	Speeds	4 mph (6.44 kmh)
Optional		
	Powered Positioning	Tilt / Recline / iLevel / Foot Supports
	Electronics	Q-Logic 3e / Q-Logic 3^{EX} / R-Net

Q6 edge HD

SYNERGY

Weight capacity
226 kg

Battery range
Up to 20 miles

Crash tested






Q-Logic 3e Control System



ATX Suspension



4-Pole Motors



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Q6 Edge HD is a heavy-duty power chair designed for users who need a higher weight capacity without compromising on performance or comfort. Paired with Synergy seat, the Q6 Edge HD offers adjustable seat sizes and positioning for a comfortable, customisable fit. It supports various cushion and backrest combinations for optimal pressure relief and postural support

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	19.75” (502 mm)
	Length	35.6” (904 mm)
	Width	26.25” (667 mm) with 14” wheels
	Ground Clearance	3” (76 mm)
	Battery Size	2 x 70 Ah
	Seat Dimensions	20” - 28” W / 15” - 28” D
	Motor Package	4 - Pole, Mid - wheel
	Suspension	ATX Suspension
	Speeds	4 mph (6.44 kmh)
Optional		
	Powered Positioning	Tilt
	Electronics	Q-Logic 3e / Q-Logic 3^{EX} / R-Net

Q6 edge HD

TRU-BALANCE 3 POWER POSITIONING SYSTEMS

Weight capacity **204 kg**

Battery range **Up to 20 miles**

Crash tested






Q-Logic 3e Control System



ATX Suspension



4-Pole Motors



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Q6 Edge HD is a heavy-duty power chair designed for users who need a higher weight capacity without compromising on performance or comfort. Paired with the TRU-Balance 3 seat, it offers a customisable seat and positioning system that ensures optimal alignment and pressure distribution. It offers maximum comfort and support for various postures and activities.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	20.5” (521 mm)
	Length	35.5” (902 mm)
	Width	24.4” (620 mm) with 14” wheels
	Ground Clearance	2.7” (69 mm)
	Battery Size	2 x 70 Ah
	Seat Dimensions	20” - 32” W / 20” - 25” D
	Motor Package	4 - Pole, Mid - wheel
	Suspension	ATX Suspension
	Speeds	4 mph (6.44 kmh)
Optional		
	Powered Positioning	Tilt / Recline / Lift / Foot Supports
	Powered Positioning	Q-Logic 3e / Q-Logic 3 EX / R-Net

QUANTUM 4FRONT 2 HD

TRU-BALANCE 3 POWER POSITIONING SYSTEMS

Weight capacity **204 kg**

Battery range **Up to 20 miles**

Crash tested






Front / Rear LED Fender lights



Smart Traction Control



SRS Smooth Ride Suspension



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The 4Front 2 HD has all the benefits of the 4 Front 2 but with Heavy-Duty capabilities. Paired with the TRU-Balance 3 seat, it offers a customisable seat and positioning system that ensures optimal alignment and pressure distribution. It offers maximum comfort and support for various postures and activities.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	24.5” (622 mm)
	Length	39.7” (1008 mm)
	Width	24” (610 mm) with 14” wheels
	Ground Clearance	2.6” (66 mm)
	Battery Size	2 x 70 Ah
	Seat Dimensions	20” - 24” W / 20” - 24” D
	Motor Package	4 - Pole, Front - wheel
	Suspension	Smooth Ride Suspension
	Speeds	4 mph (6.44 kmh)
Optional		
	Powered Positioning	Tilt / Recline / Lift / Foot Supports
	Electronics	Q-Logic 3e / Q-Logic 3^{EX}

QUANTUM 1450

CONTOURED SEATING

Weight capacity **272 kg**

Battery range **Up to 15 miles**

Non-Crash tested





High Traction Drive Tyres



Oversized Rear Castor Wheels

Enhanced Weight Capacity

Green Machine | Electric Blue | Lemon Crush | Red Corvette | Back in Black

*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Q1450 power chair front-wheel drive bariatric power chair has an innovative design that gives remarkable outdoor performance while allowing for confined space manoeuvrability. Paired with the Contoured seat, it offers a supportive design with a vinyl, easy-to-clean surface that promotes optimal posture and pressure relief for all-day comfort.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	26.5” (673 mm)
	Length	38.25” (972 mm)
	Width	29.25” (743 mm)
	Ground Clearance	1.5” (38 mm)
	Battery Size	2 x 70 Ah
	Seat Dimensions	22” - 26” W / 20” - 24” D
	Motor Package	4 - Pole, Front - wheel
	Suspension	Swing - Arm Suspension
	Powered Positioning	Tilt
	Speeds	4 mph (6.44 kmh)
Optional		
	Electronics	VR2 / Q-Logic 3e / Q-Logic 3^{EX}

QUANTUM 1450 SYNERGY

Weight capacity **272 kg**

Battery range **Up to 15 miles**

Non-Crash tested






High Traction Drive Tyres



Oversized Rear Castor Wheels



Enhanced Weight Capacity



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Q1450 power chair front-wheel drive bariatric power chair has an innovative design that gives remarkable outdoor performance while allowing for confined space manoeuvrability. Paired with Synergy seat, the Q6 Edge HD offers adjustable seat sizes and positioning for a comfortable, customisable fit. It supports various cushion and backrest combinations for optimal pressure relief and postural support.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	26.5” (673 mm)
	Length	38.25” (972 mm)
	Width	29.25” (743 mm)
	Ground Clearance	1.5” (38 mm)
	Battery Size	2 x 70 Ah
	Seat Dimensions	20” - 32” W / 20” - 28” D
	Motor Package	4 - Pole, Front - wheel
	Suspension	Swing - Arm Suspension
	Powered Positioning	Tilt
	Speeds	4 mph (6.44 kmh)
Optional		
	Electronics	VR2 / Q-Logic 3e / Q-Logic 3^{EX}

ASPEN

TB-Flex

Weight capacity
136 kg

Battery range
Up to 15 miles

Crash tested






Rear - Wheel Drive



Kerb Climber



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Aspen rear-wheel drive power chair boasts a compact frame, making it more manoeuvrable than other rear-wheel drive power chairs. Paired with the TB Flex seat, it offers flexibility and comfort. Ideal for daily activities and exercise, it adapts to your movements, enhancing performance and reducing strain.

Specifications

*All measurements provided are subject to a variation of +- 1/8”

Standard	Turning Radius	25.25” (642 mm)
	Length	33.41” (849 mm)
	Width	22.79” (579 mm)
	Ground Clearance	3.58” (91 mm)
	Battery Size	2 x 62 Ah
	Seat Dimensions	15” - 20” W / 15” - 20” D
	Motor Package	2 - Pole, Rear - wheel
	Suspension	Independent Rear Suspension
Optional		
	Powered Positioning	Tilt / Recline / Lift / Foot Supports
	Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh)
	Electronics	Q-Logic NES / Q-Logic 3e / Q-Logic 3^{EX}

KOZMO PORTABLE

Weight capacity
113 kg

Battery range
Up to 10 miles

Non-Crash tested






Disassembles into 4 pieces



Compact Design



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Kozmo Portable combines manoeuvrability with a compact design and an exceptionally tight turning circle of 646 mm, making it ideal for tight spaces. The Kozmo Portable is packed with fantastic features and adjustable seat, and it's easy to disassemble for transport or storage.

Specifications

*All measurements provided are subject to a variation of +- 1/8"

Standard	Turning Radius	25.45" (646 mm)
	Length	33.09" (840 mm)
	Width	22.6" (574 mm)
	Ground Clearance	1.9" (48 mm)
	Battery Size	2 x 18 Ah
	Seat Dimensions	12" - 18" W / 12" - 18" D
	Motor Package	Rear - wheel
	Suspension	Limited
	Powered Positioning	N/A
	Speeds	3.6 Mph (5.79 Km/h)
	Electronics	GC3

FUSION e

Weight capacity
150 kg

Battery range
Up to 15 miles

Crash tested





10” castor wheels for improved outdoor performance



Enhanced Weight Capacity



*Colour shades shown here are for reference only and may vary from actual product.
Please visit our website for the full colour range.

The Fusion e is an affordable rear-wheel drive power wheelchair that provides great performance and a smooth riding experience. The adaptable Fusion e power chair is also highly adjustable, allowing users to tailor it to their unique needs and preferences.

	Specifications	*All measurements provided are subject to a variation of +- 1/8”
Standard	Turning Radius	25.25” (642 mm)
	Length	41.33” (1050 mm)
	Width	24.8” (630 mm)
	Ground Clearance	3.14” (80 mm)
	Battery Size	2 x 50 Ah
	Seat Dimensions	16” - 23” W / 16” - 21” D
	Motor Package	2 - Pole, Rear - wheel
	Suspension	Independent Rear Suspension
	Powered Positioning	N/A
	Electronics	VR2
	Optional	
	Speeds	4 mph (6.44 kmh) 6 mph (9.65 kmh)

Notes

+353 71 916 3905
LCS.ltd
info@lcs.ltd

01869 324600
quantumrehab.co.uk
sales@quantumrehab.co.uk