Living
Comfort
Support

LCS Manual Wheelchairs







LCS Limited © 2024 – All Rights Reserved

Rigid Wheelchairs







LCS Limited © 2024 – All Rights Reserved

ETHOS

THE ROAD IS ROUGH.
THE RIDE DOESN'T HAVE TO BE.



Transport Weight *	5,26 kg (11,6 lbs)
Seat Width	30 - 51 cm (12" - 20")
Seat Depth	36 - 51 cm (14" - 20")
Front Seat Height	34 - 52 cm (13,5" - 20,5")
Rear Seat Height	34 - 51 cm (13,5" - 20")
Tubing Size	2,86 cm (1 1/8")
Camber	0°, 2°, 4°, 6°, 8°
Weight Capacity	125 kg (275 lbs)
Transit Approved	YES

* 16"x16" Standard Length Frame, Fixed Height Back, 4" Poly Casters, Tubular Open Footplate and Standard Upholstery. Rear Wheels Removed.

LCS Limited © 2024 – All Rights Reserved

Feidhmeannacht na Seirbhíse Sláinte
Health Service Executive

HSE APPROVED SUPPLIER



ROGUE²

FIND YOUR LIMIT... AND PUSH BEYOND.

Transport Weight *	4,8 kg (10,6 lbs)
Seat Width	30 - 51 cm (12" - 20")
Seat Depth	36 - 51 cm (14" - 20")
Front Seat Height	34 - 52 cm (13,5" - 20,5")
Rear Seat Height	34 - 51 cm (13,5" - 20")
Tubing Size	3,5 cm (1 3/8")
Camber	0°, 2°, 4°, 6°, 8°
Weight Capacity	125 kg (275 lbs)
Transit Approved	YES

* 16"x16" Frame, Short Backrest Height,
4" Poly Casters, Tubular Open Footplate. Rear Wheels Removed.

LCS Limited © 2024 – All Rights Reserved

ROGUE *ALX*

YOUR BEST OPTION IN LOW-COST ULTRA-LIGHT RIGID FRAME WHEELCHAIRS.



Transport Weight *	5,1 kg (11,2 lbs)
Standard Weight	8,6 kg (18,8 lbs)
Seat Width	36 - 56 cm (14" - 22")
Seat Depth	36 - 51 cm (14" - 20")
Front Seat Height	34 - 52 cm (13,5" - 20,5")
Rear Seat Height	34 - 51 cm (13,5" - 19,5")
Tubing Size	3,5 cm (1 3/8")
Camber	0°, 2°, 4°, 6°, 8°
Weight Capacity	113 kg (250 lbs)

* 16”x16” Standard Length Frame, Adjustable Height Back - 12”, 4” Poly Casters, Tubular Open Footplate and Standard Upholstery. Rear Wheels Removed.

LCS Limited © 2024 – All Rights Reserved

Folding Wheelchairs







LCS Limited © 2024 – All Rights Reserved

CATALYST 5

Higher Performance, Lower Weight.



Standard Weight	10,4 kg (23 lbs)
Seat Width	36 - 56 cm (14" - 22")
Seat Depth	36 - 51 cm (14" - 20")
Front Seat Height	34 - 53 cm (13,5" - 21")
Rear Seat Height	29 - 50 cm (11,5" - 19,5")
Weight Capacity	136 kg (300 lbs)
Weight Capacity HD	158 kg (350 lbs)
Top Frame Tubing Size	2,54 cm (1")
Bottom Frame Tubing Size	2,86 cm (1 1/8")
Transit Approved	YES

* Calculation based on: 16”x16” Frame,
5”x1” Poly Casters, Swing Away Arm Receivers. Footrest and Rear Wheels removed.

LCS Limited © 2024 – All Rights Reserved

CATALYST 5Ti

Unmatched Performance in a High Strength Low Weight Titanium Package.



Transport Weight *	4,9 kg (10,8 lbs)
Standard Weight	8,5 kg (18,8 lbs)
Seat Width	36 - 56 cm (14" - 22")
Seat Depth	36 - 51 cm (14" - 20")
Front Seat Height	34 - 53 cm (13,5" - 21")
Rear Seat Height	29 - 50 cm (11,5" - 19,5")
Camber	0°, 2°, 4°
Weight Capacity	136 kg (300 lbs)
Weight Capacity HD	158 kg (350 lbs)
Top Frame Tubing Size	2,54 cm (1")

* 16”x16” Frame,
5”x1” Poly Casters, Swing Away Arm Receivers. Footrest and Rear Wheels removed.

LCS Limited © 2024 – All Rights Reserved

CATALYST 5X

IGNITING THE EVOLUTION

Endless Style. Expected Quality. Essential Value.



Feidhmeannacht na Seirbhíse Sláinte
Health Service Executive

HSE APPROVED SUPPLIER

Transport Weight *	4,9 kg (10,8 lbs)
Standard Weight	8,5 kg (18,8 lbs)
Seat Width	36 - 56 cm (14" - 22")
Seat Depth	36 - 51 cm (14" - 20")
Front Seat Height	34 - 53 cm (13,5" - 21")
Rear Seat Height	29 - 50 cm (11,5" - 19,5")
Camber	0°, 2°, 4°
Weight Capacity	136 kg (300 lbs)
Weight Capacity HD	158 kg (350 lbs)
Top Frame Tubing Size	2,54 cm (1")

* 16”x16” Frame, 5”x1” Poly Casters, Height Adjustable T-Arm Receivers. Footrest and Rear Wheels removed.

LCS Limited © 2024 – All Rights Reserved

Tilting Wheelchairs







LCS Limited © 2024 – All Rights Reserved



Feidhmeannacht na Seirbhíse Sláinte
Health Service Executive

HSE APPROVED SUPPLIER

FOCUS *CR*

Not Just Evolutionary. Revolutionary.

Transport Weight	15 kg (33 lbs)
Seat Width	36 - 61 cm (14" - 24")
Seat Depth	36 - 56 cm (14" - 22")
Seat Height	33 - 52 cm (13" - 20,5")
Top Frame Tubing Size	2,54 cm (1")
Weight Capacity	136 kg (300 lbs)
Weight Capacity HD	181 kg (400 lbs)
Tilt Range	-5° - 50°
Transit Approved	YES
Transport Weight	15 kg (33 lbs)

* 16”x16” with Stroller Handle Back Posts,
6”x1” Poly Casters. Armrests, Footrests and Rear Wheels Removed.

LCS Limited © 2024 – All Rights Reserved

LIBERTY

Liberty is Independence



Liberty (Folding) Transport Weight *	11,7 kg (25,8 lbs)
Liberty (Rigid) Transport Weight *	11,1 kg (24,5 lbs)
Seat Width	36 - 56 cm (14" - 22")
Seat Depth	36 - 51 cm (14" - 20")
Seat Height	33 - 51 cm (13" - 20")
Weight Capacity	113 kg (250 lbs)
Tilt Range	0° - 20°
Transit Approved	YES
Liberty (Folding) Transport Weight *	11,7 kg (25,8 lbs)
Liberty (Rigid) Transport Weight *	11,1 kg (24,5 lbs)

* 16x16 fixed back with armrests, footrests and rear wheels removed.

LCS Limited © 2024 – All Rights Reserved

ICON 125

GREAT SEATING AND POSITIONAL COMFORT



Materials	Aluminium
Colours	Silver
Seat Depth	15.75-20.87”, 17.72-22.82” (400-530 mm, 450-580 mm)
Seat Height	16.93” (430 mm)
Seat Width	16.14”, 18.11”, 20.08” (410 mm, 460 mm, 510 mm)
Front Wheel Diameter	7“ (177.8 mm)
Rear Wheel Diameter	16", 24“ (406.4 mm, 609.4 mm)

Offers exceptional seating and positional comfort, with various built-in adjustments to ensure an accurate fit. Designed to meet the high standards required by both users and caregivers. Constructed from steel and aluminium respectively.

LCS Limited © 2024 – All Rights Reserved

Living
Comfort
Support

Paediatric Wheelchairs








LCS Limited © 2024 – All Rights Reserved



Feidhmeannacht na Seirbhíse Sláinte
Health Service Executive

HSE APPROVED SUPPLIER

ROGUE XP

YOU'RE YOUNG. YOU'RE ACTIVE. YOU'RE YOU.

GROWTH WITH AN EDGE.

Transport Weight *	5,3 kg (11,6 lbs)
Seat Width	25,4 - 45,7 cm (10" - 18")
Seat Depth	25,4 - 50,8 cm (10" - 20")
Front Seat Height	34,3 - 52,1 cm (13,5" - 20,5")
Rear Seat Height	29,2 - 50,8 cm (11,5" - 20")
Tubing Size	3,5 cm (1 3/8")
Camber	0°, 2°, 4°, 6°, 8°
Weight Capacity	90 kg (200 lbs)
Transit Approved	YES
Transport Weight *	5,3 kg (11,6 lbs)

* 14x14" frame, no armrests, without wheels.

LCS Limited © 2024 – All Rights Reserved



Little Wave "Arc"

Lightest Paediatric Folding Pivot Tilt
WITH CENTER OF GRAVITY TRANSLATION!

Transport Weight *	9,3 kg (20,5 lbs)
Seat Width	25 - 46 cm (10" - 18")
Seat Depth	30 - 51 cm (12" - 20")
Seat Height	37 - 48 cm (14,5" - 19")
Tubing Size	2,54 cm (1")
Weight Capacity	75 kg (165 lbs)
Tilt Range	0° - 45°
Transit Approved	YES
Transport Weight *	9,3 kg (20,5 lbs)
Seat Width	25 - 46 cm (10" - 18")

* 14”x14” Frame with Attendant Wheel Locks. Armrests, Rear Wheels and Footrests removed.

LCS Limited © 2024 – All Rights Reserved

Feidhmeannacht na Seirbhíse Sláinte
Health Service Executive

HSE APPROVED SUPPLIER



Little Wave "Clik"

Not Just a Wheelchair. A Member of the Team. Designed for Our *Next* Generation.

Transport Weight *	5,7 kg (12,5 lbs)
Seat Width	20 - 41 cm (8" - 16")
Seat Depth	20 - 41 cm (8" - 16")
Front Seat Height	29 - 52 cm (11,5" - 20,5")
Rear Seat Height	29 - 51 cm (11,5" - 20")
Tubing Size	2,85 cm (1 1/8")
Camber	0°, 2°, 4°, 6°, 8°
Weight Capacity	75 kg (165 lbs)
Transit Approved	YES
Transport Weight *	5,7 kg (12,5 lbs)

* 12”x12” Frame with Adjustable Height Back-
12”,4” Poly Casters, Angle Adj. Footplate and Standard Upholstery. Armrest and Rear Wheels Removed.

LCS Limited © 2024 – All Rights Reserved



Feidhmeannacht na Seirbhíse Sláinte
Health Service Executive

HSE APPROVED SUPPLIER

Little Wave "Flip"

Flip the script on ordinary.

DESIGNED TO BE AS UNIQUE AS YOUR CHILD.

Transport Weight *	9,6 kg (21 lbs)
Seat Width	25 - 46 cm (10" - 18")
Seat Depth	30 - 51 cm (12" - 20")
Seat Height	34 - 51 cm (13,5" - 20")
Tubing Size	2,54 cm (1")
Weight Capacity	75 kg (165 lbs)
Tilt Range	0° - 45°
Transit Approved	YES
Transport Weight *	9,6 kg (21 lbs)
Seat Width	25 - 46 cm (10" - 18")

* 14”x14” Frame with Attendant Wheel Locks. Armrests, Rear Wheels and Footrests removed.

LCS Limited © 2024 – All Rights Reserved

Little Wave XP

Imagine...



Transport Weight *	4,9 kg (10,8 lbs)
Standard Weight	7,3 kg (16 lbs)
Seat Width	25 - 41 cm (10" - 16")
Seat Depth	25 - 41 cm (10" - 16")
Front Seat Height	29 - 52 cm (11,5" - 20,5")
Rear Seat Height	29 - 51 cm (11,5" - 20")
Tubing Size	3,5 cm (1 3/8")
Camber	0°, 2°, 4°, 6°, 8°
Weight Capacity	75 kg (165 lbs)
Transit Approved	YES

* 12”x12” Frame with Adjustable Height Back - 12”,
4” Poly Casters, Angle Adj. Footplate and Standard Upholstery. Armrest and Rear Wheels Removed.

LCS Limited © 2024 – All Rights Reserved

Spark

A unique paediatric wheelchair

Spark is designed to be used with virtually any clinically prescribed seating system.



Transport Weight *	8 kg (17,5 lbs)
Standard Weight	8,6 kg (19 lbs)
Seat Width	25 - 41 cm (10" - 16")
Seat Depth	31 - 46 cm (12" - 18")
Front Seat Height	33 - 53 cm (13" - 21")
Rear Seat Height	28 - 47 cm (11" - 18,5")
Top Frame Tubing Size	2,54 cm (1")
Bottom Frame Tubing Size	2,54 cm (1")
Camber	0°, 2°, 4°
Weight Capacity	75 kg (165 lbs)

* 12”x12” Frame with Stroller Handle Back Posts, and 5” Poly Casters. Armrests, Footrest and Rear Wheels removed.

LCS Limited © 2024 – All Rights Reserved

Living
Comfort
Support

We Want to Speak with THERAPISTS.

Contact LCS Today!

Phone Number:

(+353) 071 916 3905

Email Address:

info@lcs.ltd

Office Location:

Unit 1
Grange Business Park
Grange, Co. Sligo
F91 E4PW

LCS Limited © 2024 – All Rights Reserved